


Execution Plan

Project: OFR06583 - Demo Lemn Stratificat / Date: 12/02/2009
 Delivery Date: 28/11/2007




View inner. Opening inner.

Component : 01.F1	
Size:	1,200.0 mm x 1,450.0 mm
Profile System:	Molid 68 / Molid
Hardware:	AGB Standard
Glass:	GT Clar-Clar 4-14-4
Surface:	1.740 sqm
Quantity:	3 pcs

Code	Description	Quantity	L	1°	2°	Position
Profiles						
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	6 pcs	1,200.0 mm	90°	90°	Up,Down
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	6 pcs	1,450.0 mm	90°	90°	Lft,Rght
IV68/78 07 1 6000 - Mol	Profil Compensare FJ, Bară 6000 mm	3 pcs	545.0 mm	90°	90°	B:Down
IV68/78 07 2 1300 - Mol	Profil Compensare DKD, Bară 1300 mm	3 pcs	545.0 mm	90°	90°	B:Up
IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	6 pcs	557.0 mm	90°	90°	A:Up,A:Down
IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	6 pcs	1,376.0 mm	90°	90°	A:Lft,A:Rght
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	3 pcs	1,364.0 mm	90°	90°	AB:V
Accessories						
1205	Garnitură	19.170 m				
1208	Garnitură	11.598 m				
475/85	Grund	1.325 l				
AT 201	Bait	1.325 kg				
AZ2130	Lac	1.325 l				
GGT	Garnitură geam	20.652 m				
Hardware						
7002055530450	Maner	3 pcs				
A004021505	Cremon 1200-1400 1A E15 TOP	3 pcs				
A004030001	Ghidaj Tija Pt A00402/06	3 pcs				
A330312600	Suport Foarfece A De Frezat A12 B20	3 pcs				
A340302602	Balama A De Frezat B20 A12 SX	3 pcs				
A343310500	Balama Superioara A	3 pcs				
A371040214	Kit Capac Cercevea SX TESI D40 Bronzat Deschis	3 pcs				
A380100502	Opozant Top Bloc S17 A12	9 pcs				
Glass						
Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	3 pcs	424.0 x 1,243.0 mm			A
Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	3 pcs	532.0 x 1,243.0 mm			B
Handwork						

Code	Description	Quantity	L	1°	2°	Position
M 08	Curatare manuala rame, gauri aerisire	18 op				
M 09	Curatare manuala cercevele, gauri aerisire	12 op				
M 10	Manopera feronerie	3 op				
M 12	Manipulare profile /ml profil	33 op				
M 27	Manopera 1 min	6 op				
M 29	Debitare PVC - 2 capete	33 op				
M 34	Frezare montant si fixare	3 op				
Manopera sticla						
M 14	Taiere geam /perimetru	6 op				
M 15	Lipire termopan	6 op				
M 16	Izolare termopan	6 op				
Manopera livrare si montaj						
M 17	Pregatire, incarcare /ochi	6 op				
M 19	Fixare rama /perimetru	6 op				
M 20	Montare geam /geam	6 op				
M 21	Reglare feronerie /ccv	3 op				
M 24	Demontare tamplarie veche, mediu	6 op				




View outer. Opening outer.

Component : 02.U1

Size:	2,000.0 mm x 3,000.0 mm	
Profile System:	Molid 68 / Molid	
Hardware:	AGB Standard	
Glass:	GT Clar-Clar 4-14-4; Geam Float 4 mm	
Surface:	5.571	sqm
Quantity:	1	pcs

Code	Description	Quantity	L	1°	2°	Position
Profiles						
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	3 pcs	2,000.0 mm	90°	90°	Lft,Rght,Down
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	1 pcs	3,141.6 mm	90°	90°	Up
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	FHL:H
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	FH:H
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	GKM:H
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	GK:H
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	446.8 mm	89°	91°	BDE:1
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	448.5 mm	88°	93°	ABDE:1
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	449.3 mm	88°	94°	DE:1
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	780.0 mm	90°	90°	IJ:H
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	1,548.2 mm	91°	91°	ABCDE:H
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	1,914.0 mm	90°	90°	ABCDEFGHIJKLM: H
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	2 pcs	1,945.0 mm	90°	90°	FGHIJKLM:V,GIJK M:V
L 90 0	Profil Lacrimar Fereastră	1 pcs	928.0 mm	90°	90°	IJ:Down
IV68/110 04 1 6000 - Mol	Canat Usa T FJ, Bară 6000 mm	2 pcs	964.0 mm	90°	90°	IJ:Up,IJ:Down
IV68/110 04 1 6000 - Mol	Canat Usa T FJ, Bară 6000 mm	2 pcs	1,933.0 mm	90°	90°	IJ:Lft,IJ:Rght
Accessories						
1152	Garnitură Usa	5.794 m				
1205	Garnitură	9.142 m				
475/85	Grund	1.140 l				
AT 201	Bait	1.140 kg				
AZ2130	Lac	1.140 l				
GGT	Garnitură geam	29.298 m				
Hardware						
7002055530450	Maner	1 pcs				
A004021508	Cremon 1800-2000 1A E15 TOP	1 pcs				
A004030001	Ghidaj Tija Pt A00402/06	1 pcs				
A330312600	Suport Foarfece A De Frezat A12 B20	1 pcs				
A340302602	Balama A De Frezat B20 A12 SX	1 pcs				
A343310500	Balama Superioara A	1 pcs				
A371040214	Kit Capac Cercevea SX TESI D40 Bronzat Deschis	1 pcs				
A380100502	Opozant Top Bloc S17 A12	4 pcs				
Glass						
334-35	Geam Float 4 mm	1 pcs	767.0 x 849.5 mm			J

Code	Description	Quantity	L	1°	2°	Position
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 x 598.7 mm			M
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 x 598.7 mm			L
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	432.0 x 629.7 mm			F,H
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 x 629.7 mm			K
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 x 629.7 mm			G
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	538.9 x 527.6 mm			A
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	549.2 x 599.5 mm			E
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	710.2 x 628.5 mm			D
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	767.0 x 849.5 mm			I
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	770.0 x 642.0 mm			B
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	975.7 x 476.0 mm			C
Handwork						
M 01	Debitare unghi variabil	4 op				
M 02	Curbare profil	1 op				
M 08	Curatare manuala rame, gauri aerisire	4 op				
M 09	Curatare manuala cercevele, gauri aerisire	4 op				
M 10	Manopera feronerie	2 op				
M 12	Manipulare profile /ml profil	21 op				
M 27	Manopera 1 min	1 op				
M 29	Debitare PVC - 2 capete	20 op				
M 30	Lipire PVC - 1 capat	2 op				
M 34	Frezare montant si fixare	12 op				
Manopera sticla						
M 14	Taiere geam /perimetru	13 op				
M 15	Lipire termopan	13 op				
M 16	Izolare termopan	13 op				
Manopera livrare si montaj						
M 17	Pregatire, incarcare /ochi	1 op				
M 19	Fixare rama /perimetru	1 op				
M 20	Montare geam /geam	13 op				
M 21	Reglare feronerie /ccv	1 op				
M 24	Demontare tamplarie veche, mediu	1 op				




View inner. Opening inner.

Component : 03.F2

Size:	1,000.0 mm x 500.0 mm		
Profile System:	Molid 68 / Molid		
Hardware:	AGB Standard		
Glass:	GT Clar-Clar 4-14-4		
Surface:	0.393	sqm	
Quantity:	5	pcs	

Code	Description	Quantity	L	1°	2°	Position
Profiles						
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	5 pcs	1,000.0 mm	44°	44°	Down
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	5 pcs	1,570.8 mm	46°	46°	Up
IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	5 pcs	926.4 mm	40°	40°	A:Down
IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	5 pcs	1,323.9 mm	43°	43°	A:Up
Accessories						
1205	Garnitură	12.854 m				
1208	Garnitură	11.252 m				
475/85	Grund	0.916 l				
AT 201	Bait	0.916 kg				
AZ2130	Lac	0.916 l				
GGT	Garnitură geam	9.009 m				
Glass						
Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	782.3 x 306.0 mm			A
Handwork						
M 02	Curbare profil	5 op				
M 08	Curatare manuală rame, gauri aerisire	10 op				
M 09	Curatare manuală cercevele, gauri aerisire	10 op				
M 10	Manopera feronerie	5 op				
M 12	Manipulare profile /ml profil	20 op				
M 27	Manopera 1 min	5 op				
M 29	Debitare PVC - 2 capete	20 op				
M 30	Lipire PVC - 1 capat	20 op				
Manopera sticla						
M 14	Taiere geam /perimetru	5 op				
M 15	Lipire termopan	5 op				
M 16	Izolare termopan	5 op				
Manopera livrare si montaj						
M 17	Pregatire, incarcare /ochi	5 op				
M 19	Fixare rama /perimetru	5 op				
M 20	Montare geam /geam	5 op				
M 21	Reglare feronerie /ccv	5 op				
M 24	Demontare tamplarie veche, mediu	5 op				



View inner. Opening inner.

Component : 04.F3 + Plasa

Size:	2,500.0 mm x 1,380.0 mm	
Profile System:	Molid 68 / Molid	
Hardware:	AGB Standard	
Glass:	GT Clar-Clar 4-14-4	
Surface:	5.360	sqm
Quantity:	2	pcs

Code	Description	Quantity	L	1°	2°	Position
Profiles						
DKD4P - Mol	Toc plasa insecte	2 pcs	1,294.0 mm	90°	90°	E:Lft
DKD4P - Mol	Toc plasa insecte	2 pcs	1,294.0 mm	90°	90°	E:Rght
DKD4P - Mol	Toc plasa insecte	2 pcs	1,476.0 mm	90°	90°	E:Down
DKD4P - Mol	Toc plasa insecte	2 pcs	1,476.0 mm	90°	90°	E:Up
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	4 pcs	1,380.0 mm	90°	90°	Lft,Rght
IV68/78 01 2 900 - Mol	Toc Fereastră Mobilă DKD, Bară 900 mm	4 pcs	2,500.0 mm	90°	90°	Up,Down
IV68/78 07 2 900 - Mol	Profil Compensare DKD, Bară 900 mm	4 pcs	445.0 mm	90°	90°	D:Up,D:Down
IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	8 pcs	755.0 mm	90°	90°	C:Up,C:Down,B:Up,B:Down
IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	8 pcs	1,306.0 mm	90°	90°	C:Lft,C:Rght,B:Lft,B:Rght
IV68/78 09 2 900 - Mol	Inversor DKD, Bară 900 mm	2 pcs	1,270.0 mm	90°	90°	BC:1
IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	4 pcs	1,294.0 mm	90°	90°	ABCD:V,BCD:V
Accessories						
1205	Garnitură	28.380 m				
1208	Garnitură	16.488 m				
475/85	Grund	1.902 l				
AT 201	Bait	1.902 kg				
AZ2130	Lac	1.902 l				
GGT	Garnitură geam	38.490 m				
Hardware						
700205530450	Maner	2 pcs				
A200090002	Coltar 1 Bloc Gr. 2	2 pcs				
A200140003	Inchidere Supp Ar 1250-1800	2 pcs				
A200170504	Opozant Top Reg S17 A12 1F	4 pcs				
A200190001	Compensator Balama AR KG130	4 pcs				
A200360201	Zavor Inferior A11	2 pcs				
A200360202	Zavor Superior A11	2 pcs				
A301101505	Cremon TESI E15 1200-1400	2 pcs				
A309060001	Dispozitiv De Falsă Manevră	2 pcs				
A320110003	Foarfece Aplicat Gr.3	2 pcs				
A330312600	Suport Foarfece A De Frezat A12 B20	6 pcs				
A340302601	Balama A De Frezat B20 A12 DX	2 pcs				
A340302602	Balama A De Frezat B20 A12 SX	2 pcs				
A343310500	Balama Superioară A	2 pcs				
A371040114	Kit Capac Cercevea DX TESI D40 Bronzat Deschis	2 pcs				
A371040214	Kit Capac Cercevea SX TESI D40 Bronzat Deschis	2 pcs				
A380100502	Opozant Top Bloc S17 A12	4 pcs				
A380121103	Opozant DSS A11 8+6 E 8+7 SX	2 pcs				
Glass						

Code	Description	Quantity	L	1°	2°	Position
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	432.0 x 1,173.0 mm			D
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	432.0 x 1,281.0 mm			A
CI-CI 4/16/4	GT Clar-Clar 4-14-4	4 pcs	622.0 x 1,173.0 mm			C,B
52120	Plasa Insecte 120 cm	2 pcs	1,448.2 x 1,266.2 mm			E
Handwork						
M 06	Frezare inversor (montant orb) si fixare	4 op				
M 08	Curatare manuala rame, gauri aerisire	20 op				
M 09	Curatare manuala cercevele, gauri aerisire	16 op				
M 10	Manopera feronerie	6 op				
M 12	Manipulare profile /ml profil	42 op				
M 27	Manopera 1 min	6 op				
M 29	Debitare PVC - 2 capete	40 op				
M 34	Frezare montant si fixare	4 op				
Manopera sticla						
M 14	Taiere geam /perimetru	10 op				
M 15	Lipire termopan	10 op				
M 16	Izolare termopan	10 op				
Manopera livrare si montaj						
M 17	Pregatire, incarcare /ochi	6 op				
M 19	Fixare rama /perimetru	6 op				
M 20	Montare geam /geam	10 op				
M 21	Reglare feronerie /ccv	4 op				
M 24	Demontare tamplarie veche, mediu	6 op				